

	CA<0:39>			
	_			_
CAO	CMD3	ROW6	0	0700
CA1	CMD4	ROW7	0	COL1
CA2	CMD5	ROW8	0.	C0L2
CA3	001	ROW9	0	C0L3
CA4	101	BNKO	ROWO	C0L4
CA5	102	BNK1	ROW1	C0L5
CA6	103	BNK2	ROW2	9700
CA7	104	CMD0	ROW3	0
CA8	105	CMD1	ROW4	0
CA9	901	CMD2	ROWS	0
	PW <sub>1</sub>	PW <sub>2</sub>	PW <sub>3</sub>	PW <sub>4</sub>

ROW9-ROW0 = ROW COL6-COLO = COLUM O = UNUSED

ID6-ID0 = DEVICE ID VALUE CMD5-CMD0 = COMMAND COI BNK2-BNK0 = BANK ADDRES

Fig. 2 (PRIOR ART)

11,11 | 01,01 | 1001 | 1011 | 1010 | 1011 | 1010 | 0010 | 0011 | 1101 | 0110 | 0100 | 0111 | 1010 | 1100 1101 0110 0100 0111 1010 1100 1111 0101 1001 1001 1110 0011 C10 C11 C12 C13 C14 C15 Conventional EXPECT DATA FLAT<0:3> FLAG (shiffed) FLAG (ideal)

HIG. 3 (PRIOR ART)





Fig. 5






Fig. 7




Fig. 8




Fig. 9

Fig. 10

